

Reference Guide Bulletin



May 2009 Reference Guide Revisions

Below is a summary of corrections to be made to the Hunter Douglas *Full-Line Reference Guide* (effective date May 5, 2009). Please provide your dealers with this information and ensure they include it in their Reference Guides.

Applause® Honeycomb Shades

- AP-6: Optional Extension Pole (Effective date: July 1, 2009)
 - Old Information:
N/A
 - New Information:
51" optional extension pole is still available - \$73
- AP-23 to AP-25: Duolite™ Only Checklist (Effective date: July 1, 2009)
 - Old Information:
Bottom rail will match the bottom fabric, and all other materials will match the top fabric selection.
 - New Information:
All hardware will match bottom fabric panel selection.
- AP-25: Finished Dimensions for Outside (OB) Mount
 - Old Information:
Headrail unit: ordered width
Shade height: ordered height
Fabric width: -3/16"
 - New Information:
Headrail unit:
Standard: +1/2"
Top-Down/Bottom-Up: +1"
Shade height: ordered height
Fabric width: ordered width

Country Woods® Exposé™ Wood Cornices

- WC-4: Price Grid 2 (Colors 007 & 008)
 - Old Information:
Widths 156" to 360": Prices are incorrect
 - New Information:
PDF of updated page WC-4 attached to this bulletin with correct pricing in red.

(Page WC-4 will be reprinted for the September 2009 Reference Guide Update. In the meantime, please notify your customers as appropriate. Please note that the pricing in SAP, Direct Connect and the online version of the Reference Guide is correct. The Hunter Douglas Wood Blind Business Unit is not able to honor the incorrect pricing that is printed in the May 5, 2009, *Full-Line Reference Guide*.)

Crosswinds® Wood Vertical Blinds

- CR-2: SoftChoice® Top Treatments Size Standards
 - Old Information:
 - N/A
 - New Information:
 - Size standards for SoftChoice Top Treatments are as follows:

	Min. Width	Max. Width	Min. Height	Max. Height
SoftChoice - Swag & Cascades	25"	191"	N/A	N/A
SoftChoice - Upholstered Cornice	10"	191"	N/A	8"
SoftChoice - Mock Roman	10"	191"	N/A	12"

- * Cascade face width is 7" to 7 1/2".
- * Swag & Cascades overall swag long point is 16".
- * Swag & Cascades standard cascades length is 36".
- * Swag & Cascades swag overlap is 13".
- * Swag & Cascades and Mock Roman top treatments over 108" wide will be hinged. Mending plates will be supplied to join two mounting boards together to create a continuous valance mounting surface.

Designer Roller Shades

- DSS-8 and DSS-10: Fascia and Pocket Surcharges
 - Old Information:
 - 5" Pocket
 - New Information:
 - 5 1/4" Pocket

- DRS-9: Large Cassette - Finished Dimensions
 - Old Information:
 - Inside (IB) Mount - Fabric and tube width: -1 5/8"
 - Outside (OB) Mount - Fabric and tube width: -1 1/2"
 - New Information:
 - Inside (IB) Mount - Fabric and 1 1/2" or 2" tube width: -1 5/8"
 - Inside (IB) Mount - Fabric and 1 1/8" tube width: -1 3/8"
 - Outside (OB) Mount - Fabric and 1 1/2" or 2" tube width: -1 1/2"
 - Outside (OB) Mount - Fabric and 1 1/8" tube width: -1 1/4"

- DRS-21: Metal Bead Chain
 - Old Information:
 - Add style to your Designer Roller Shades with the decorative metal bead chain, an

- upgrade, available in Antique Brass and Nickel.
- New Information:
Add style to your Designer Roller Shades with the decorative metal bead chain, an upgrade, available in Nickel.

Designer Screen Shades

- DSS-8 and DSS-10: Fascia and Pocket Surcharges
 - Old Information:
5" Pocket
 - New Information:
5 1/4" Pocket
- DSS-8: Motorized Operated Shades
 - Old Information:

Motorized Operated Shades	ST50 RTS or Standard 110V - 120 1/8" to 156" Wide	LT525 RTS or Standard 110V - 156 1/8" to 192" Wide
Tube	3"	3"

- New Information:

Motorized Operated Shades	ST50 RTS or Standard 110V - 120 1/8" to 156" Wide	LT525 RTS or Standard 110V - 156 1/8" to 192" Wide
Tube	2 1/2"	3"

- DSS-12: Large Cassette - Finished Dimensions
 - Old Information:
Inside (IB) Mount - Fabric and tube width: -1 5/8"
Outside (OB) Mount - Fabric and tube width: -1 1/2"
 - New Information:
Inside (IB) Mount - Fabric and tube width (R8 Clutch): -1 3/8"
Inside (IB) Mount - Fabric and tube width (R16 Clutch): -1 5/8"
Outside (OB) Mount - Fabric and tube width (R8 Clutch): -1 1/4"
Outside (OB) Mount - Fabric and tube width (R16 Clutch): -1 1/2"

Duette® Honeycomb Shades

- DU-2 and DU-5: 1 1/4" Architella® fabric specifications on Duolite™ shades
 - Old Information:
1 1/4" Architella fabrics are available on Duolite shades
 - New Information:
1 1/4" Architella fabrics are not available on Duolite shades
- DU-16: Optional Extension Pole (Effective date: July 1, 2009)
 - Old Information:
N/A
 - New Information:

- 51" optional extension pole is still available - \$73
- DU-32: Price Grid B4
 - Old Information:
No pricing listed for EasyView® Arch
 - New Information:
Pricing for Architella Meritage™ 3/4" Semi-Opaque fabric (Y20-Y31) is as follows:

Width To:	24"	30"	36"	42"	48"	54"	60"
EasyView Arch	\$450	\$525	\$600	\$675	\$775	\$875	\$975

- DU-46 to DU-48: Duolite Only Checklist (Effective date: July 1, 2009)
 - Old Information:
Bottom rail will match the bottom fabric, and all other materials will match the top fabric selection.
 - New Information:
All hardware will match bottom fabric panel selection.
- DU-47 and DU-50: Top-Down/Bottom-Up controls (Effective date: July 1, 2009)
 - Old Information:
N/A
 - New Information:
To operate Top-Down/Bottom-Up shades, the right cord operates the center rail and the left cord operates the bottom rail; "Reverse Controls" are not available
- DU-50: Finished Dimensions for Outside (OB) Mount
 - Old Information:
Headrail unit: ordered width
Shade height: ordered height
Fabric width: -3/16"
 - New Information:
Headrail unit:
Standard: +1/2"
Top-Down/Bottom-Up: +1"
Shade height: ordered height
Fabric width: ordered width

Luminette® Privacy Sheers

- LU-16: Manual Systems Stackback Charts - Classic 3 1/2" Vane Size
 - Old Information:
Chart 1 Title: Split Stack 3 1/2" Vanes
 - New Information:
Chart 1 Title: Side Stack 3 1/2" Vanes
- LU-17: Manual Systems Stackback Charts - Quintette™ 4 3/4" Vane Size
 - Old Information:
Chart 2 Title: Side Stack 4 3/4" Vanes
 - New Information:

- Chart 2 Title: Split Stack 4 3/4" Vanes
- LU-18: PowerGlide® 2.0 Stackback Charts - Classic 3 1/2" Vane Size
 - Old Information:
 - Chart 1 Title: Split Stack 3 1/2" Vanes
 - New Information:
 - Chart 1 Title: Side Stack 3 1/2" Vanes
- LU-19: PowerGlide 2.0 Stackback Charts - Quintette 4 3/4" Vane Size
 - Old Information:
 - Chart 2 Title: Side Stack 4 3/4" Vanes
 - New Information:
 - Chart 2 Title: Split Stack 4 3/4" Vanes

Skyline™ Gliding Window Panels

- SK-7: Design Options Surcharges
 - Old Information:
 - Should a spliced headrail at widths under 192" be desired, a \$150 surcharge applies. Once installed, a spliced headrail is unnoticeable and allows for seamless operation
 - New Information:
 - Should a spliced headrail or valance at widths under 192" be desired, a \$150 surcharge applies. During installation, place mounting brackets within 2" of each side of splice. Doing so will ensure spliced headrail or valance is unnoticeable and allows for seamless operation.
- SK-11: Split Stack Window Clearance - 11 1/2" Panels Grid
 - Old Information:

Ordered Width	Stackback per Side	Uncovered Width	Uncovered Width %	Number of Panels	Panel Overlap
28"	N/A	N/A	8.9%	N/A	N/A

- New Information:

Ordered Width	Stackback per Side	Uncovered Width	Uncovered Width %	Number of Panels	Panel Overlap
28"	12 3/4"	2.5"	8.9%	4	6"

- SK-11: Split Stack Window Clearance - 17" Panels Grid
 - Old Information:

Ordered Width	Stackback per Side	Uncovered Width	Uncovered Width %
56"	18 1/4"	19 1/2"	34.8%
63"	18 1/4"	26 1/2"	42.1%
75"	19 1/2"	36"	48%

85"	19 1/2"	46"	54.1%
88"	19 1/2"	49"	55.7%
100"	20 3/4"	58 1/2"	58.5%
113"	20 3/4"	71 1/2"	63.3%
125"	20 3/4"	83 1/2"	66.8%
138"	22"	94"	68.1%
150"	22"	106"	70.7%
163"	23 1/4"	116 1/2"	71.5%
175"	23 1/4"	128 1/2"	73.4%
188"	23 1/4"	141 1/2"	75.3%
192"	23 1/4"	145 1/2"	75.8%

- New Information:

Ordered Width	Stackback per Side	Uncovered Width	Uncovered Width %
56"	18 3/4"	18 3/4"	33%
63"	18 3/4"	25 1/2"	40%
75"	20 1/2"	34"	45%
85"	20 1/2"	44"	52%
88"	20 1/2"	55 1/2"	53%
100"	22 1/4"	68 1/2"	56%
113"	22 1/4"	80 1/2"	61%
125"	22 1/4"	80 1/2"	64%
138"	24"	90"	65%
150"	24"	102"	68%
163"	25 3/4"	111 1/2"	68%
175"	25 3/4"	123 1/2"	71%
188"	25 3/4"	136 1/2"	73%
192"	25 3/4"	140 1/2"	73%